



Shown with optional halogen rear work and brake lights. Part #34610

QUICK FACTS

TYPE: Tailgate

VEHICLE: Light pick-ups to 1-ton pick-ups, tractors with 3-point hitch

CAPACITY: 350 lb, 750 lb

MATERIALS: Salt, 50/50 salt-sand, and sand

CONSTRUCTION: Polyethylene

The industry's best warranty protection

ROC 3 YEARS* Standard
WARRANTY 5 YEARS* On all structural steel and hopper
3/5

** Blaster Spreaders only with on-line registration.*

Meyer Blasters. More power. Greater reliability.

Meyer® Blaster™ Spreaders have the most powerful spreader motor available. The Blaster's unique ½ horsepower, direct-drive motor is rated at up to 70 amps of surge power to grind through those annoying chunks of salt or sand. And the direct-drive system applies the torque directly to the auger.

One-touch Auto Control

One-touch operation provides you total control over Blaster spreaders. The illuminated in-cab controller (patent pending) includes on/off switch, blast mode which provides an on-command 70 amp surge, and a vibrate mode. Regulate the spinner speed with the variable speed controller. Spinner stops automatically when brake is applied.



Replaceable automotive style fuses.

7 Blaster Mounts Available

Meyer mounts fit SUV's, light trucks and 1/2 ton+ vehicles.

Both 350 and 750 Models

- ▶ Receiver Mount (most popular)

350 Models

- ▶ 3-point Hitch Mount
- ▶ Flat Bed Utility Adapter
- ▶ Flat Bed Mount

750 Models

- ▶ Hinged Mount
- ▶ Dump Truck Mount
- ▶ Fixed Mount

Toughest motor available.

Originally designed for military use, the Blaster's 1/2 HP motor is the most powerful motor available today. The direct-drive system links the motor directly to the auger, creating up to 75% more auger power to easily grind through large chunks of material and provide an even material spread pattern.

- 1 Stainless steel shaft
- 2 Cast iron end bells
- 3 Double sealed ball bearings
- 4 Marine grade caulking at all joints
- 5 Water tight harness connections
- 6 Extra large armature and copper windings
- 7 Powder coat finish



Blaster Options



EZ-Swing Gate

Allows access to your vehicle bed by swinging the spreader out of the way. Mounts to the receiver hitch. PART # 35100




Motor Guard

Helps protect motor during use. When added to the 750R, it serves as a storage stand when the spreader is removed from the vehicle. PART #36407



Flow Gate Control

Sets the material flow rate based on the material being used. PART #34900



Hopper Screen

Prevents large chunks of material into the hopper. Improves material flow. 1/2" x 1/2" or 2" x 2" screen size available. PART #34701 (1/2"x 1/2") PART #34700 (2"x 2")



Meyer Blasters. Let you spread a wide variety of materials.

Meyer Blaster™ Spreaders features a flexible application system to spread different materials for meeting changing conditions. Utilizing different augers and options you can get the spreader that's right for you.



Blaster 350S

Create a material application system that's right for you.

We know that spreading a wide variety of material requires the spreader to have different performance characteristics. That's why Meyer Blaster Series Spreaders give you the ability to customize the configuration based on the type of material being spread. From auger options to vibrator kits, you can create the ultimate spreading machine.

Auger Options

Spiral Auger is perfect for spreading rock salt, calcium chloride and other ice melt materials. Comes standard on all models except 350S and 750S.

Fine Salt Auger Kit


This auger is designed to provide maximum performance when spreading fine salt without clogging or tunneling. Includes all mounting hardware. Recommended to be used with the sander/vibrator kit (Part #34600). Part #34118

Sander/Vibrator Kit

Standard on 350S and 750S models, lets you spread a 50/50 blend of rock salt and sand or sand only. Includes extended auger, vibrator, vibrator mounting plate, baffle plate and vibrator harness. Part #34600

Chain Auger Kit

Helps break up material and provide excellent flow when spreading sand and gravel mixes. Includes all mounting hardware. Recommended to be used with the sander/vibrator kit (Part #34600). Part #34109





QUICK FACTS

TYPE: Tailgate

VEHICLE: 3/4-ton + pick-ups, tractors with 3-point hitch

CAPACITY: 700 lbs (9.0 cu. ft.)

MATERIALS: Salt, 50/50 salt-sand, fertilizer, seed

CONSTRUCTION: Polyethylene

Meyer Mate XL.

Strap-mounted tailgate spreader attaches quickly without tools.

With a generous 9.0 cubic foot capacity (700 lbs), the Meyer® Mate™ attaches conveniently to your vehicle in minutes without tools. It comes fully assembled for quick installation to your truck's tailgate and bumper – with no drilling required. Various mounting choices are available including a swing-out option that moves the unit out of the way, allowing the owner to access the bed of the truck from the tailgate.

Mounts in minutes...No tools required.

The Mate conveniently mounts to the vehicle's tailgate in minutes with a heavy-duty, adjustable strap... no tools required. A built-in handle makes installation quick and easy.

Indestructible Poly Hopper

The Mate is molded entirely from polymer material and is strapped onto the tailgate. This means you'll get years of dependable, rust-free performance without having to drill or deface the vehicle.



Replaceable automotive style fuses.

One-touch Auto Control

One-touch operation provides you total control over Mate spreaders. The illuminated in-cab controller (patent pending) includes on/off switch, blast mode which provides an on-command 70amp surge, and a vibrate mode. Regulate the spinner speed with the variable speed controller. Spinner stops automatically when brake is applied.

Power, Direct Drive Motor

A commercial-duty 1/8 HP, 12V direct-drive motor drives the spinner directly off the motor drive shaft, providing positive, energy-efficient power to the agitator system for optimum performance and reliability.



Mate™ Options



3-Point Hitch

Allows the Mate to be used on agricultural equipment. PART #38200



Top Screen

Breaks up clumps to improve material flow. PART #38260



Motor Guard

Protect motor from damage. Mounts to receiver hitch. PART #38250



EZ-Swing Gate

Allows you to use the tailgate when Mate is attached. PART #38010